

Field-stabilized Chern insulator in magic-angle helical trilayer graphene

Aaron Sharpe

Acknowledgements



Liqiao Xia




Aviram Uri



Sergio de la Barrera



Pablo Jarillo-Herrero



Trithep Devakul



Yves Kwan


MIT:
Liang Fu

Stanford University:
Zoe Zhu
Marc Kastner
David Goldhaber-Gordon

NIMS:
Takashi Taniguchi
Kenji Watanabe

National High Magnetic Field Lab:
Ali Bangura
Robert Nowell
Scott Hannahs
Andrew Woods
Glover Jones

HTG: C_{2z} breaking domains





Z. Zhu et al. PRB (2020)

N. Nakatsui et al. PRX (2023)

T. Devakul et al. Sci. Adv. (2023)


L.Q. Xia et al. arXiv.2310.12204

HTG: C_{2z} breaking domains



- Z. Zhu et al. PRB (2020)
N. Nakatsui et al. PRX (2023)
T. Devakul et al. Sci. Adv. (2023)
L.Q. Xia et al. arXiv.2310.12204

HTG: C_{2z} breaking domains




Z. Zhu et al. PRB (2020)


N. Nakatsui et al. PRX (2023)

T. Devakul et al. Sci. Adv. (2023)

L.Q. Xia et al. arXiv.2310.12204



HTG: C_{2z} breaking domains




Z. Zhu et al. PRB (2020)


N. Nakatsui et al. PRX (2023)

T. Devakul et al. Sci. Adv. (2023)


L.Q. Xia et al. arXiv.2310.12204




Field-induced Chern insulator?




Field-induced Chern insulator?





Pentalayer rhombohedral graphene




Quantized Hall resistance



Quantized Hall resistance




Quantization?





Quantization?




h - HTG



\hbar - HTG




Quantization?





Quantization?



h - HTG





\hbar - HTG



Quantization?




Quantization?



Strong-coupling schematic

$B = 0, C=0$

h - HTG




\hbar - HTG




Strong-coupling schematic

$B = 0, C=0$




Strong-coupling schematic

$B = 0, C=0$




$B = B_c$




Strong-coupling schematic

$B = 0, C=0$




$B > B_c, C=-6$




Strong-coupling schematic

$B = 0, C=0$




$B > B_c, C=-6$



Strong-coupling schematic


$B = 0, C=0$

h - HTG




$B > B_c, C=-6$

h - HTG




- Only possible arrangement of bands that yields constant total valley Chern number
- Spatially varying Chern number of the flat band



Hofstadter spectrum of h - HTG





Hofstadter spectrum of h - HTG




$C=-6$ gap in domain and walls





$C = -6$ gap in domain and walls






Layer potential dependences of Hofstadter gaps



Layer potential dependences of Hofstadter gaps





- HTG is a new moiré platform for topological bands
 - Local Chern domains related by C_{2z}
- Chern insulator induced by a small B field
 - Quantization requires understanding the supermoiré
 - $C=-6$ Chern insulator understandable by both strong coupling and Hofstadter